

AD _____

MIPR NUMBER 96MM6735

TITLE: Medical Team Coordination (Medteams) Congressional Interest

PRINCIPAL INVESTIGATOR: Dennis K. Leedom, Ph.D.

CONTRACTING ORGANIZATION: Army Research Laboratory
Aberdeen Proving Ground, MD 21005-5067

REPORT DATE: August 1997

TYPE OF REPORT: Final

PREPARED FOR: Commander
U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for public release;
distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

19980226 051

DTIC QUALITY INSPECTED 3

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE August 1997		3. REPORT TYPE AND DATES COVERED Final (12 Jul 96 - 11 Jul 97)	
4. TITLE AND SUBTITLE Medical Team Coordination (Medteams) Congressional Interest				5. FUNDING NUMBERS 96MM6735	
6. AUTHOR(S) Leedom, Dennis K., Ph.D.					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Army Research Laboratory Aberdeen Proving Ground, MD 21005-5067				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012				10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES					
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited				12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) The objective of this research work package is to improve advanced trauma life support through improved coordination of the extended team of medical personnel that provides this type of initial medical care--e.g., EMT, trauma nurse, emergency medicine physician. the research approaches this goal through (1) the analysis of team tasks and information flow to identify task conflicts, information bottlenecks, and skill deficiencies within advanced trauma life support, (2) the refinement of medical team evaluation techniques for assessing overall performance along specific behavioral dimensions, (3) the development and evaluation of focused training interventions for reducing certain types of coordination errors common to advanced trauma life support, and (4) the selective demonstration and evaluation of telemedicine, information management, and decision aid technologies that have the potential for improving medical team coordination and collaboration. The initial year of this research focuses on trauma patient care within a definitive care trauma center (e.g., Madigan Army Medical Center), with linkages to EMT services. Subsequent phases of the research will be extended to address field operations more representative of the combat casualty care setting. Through its systematic behavioral investigation of the extended team process involved in advanced trauma life support this research complements current Army and DARPA initiatives in the fields of telemedicine and trauma care informatics.					
14. SUBJECT TERMS Advanced Trauma Life Support, Emergency Medical Team Coordination, Team Error Reduction, Emergency Medical Team Training, Trauma Patient Information Management				15. NUMBER OF PAGES 1039	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited		

FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.

____ Where copyrighted material is quoted, permission has been obtained to use such material.

____ Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.

____ Citations of commercial organizations and trade names in this report do not constitute an official Department of Army endorsement or approval of the products or services of these organizations.

____ In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and Use of Laboratory Animals of the Institute of Laboratory Resources, National Research Council (NIH Publication No. 86-23; Revised 1985).

____ For the protection of human subjects, the investigator(s) adhered to policies of applicable Federal Law 45 CFR 46.

____ In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.

____ In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules.

____ In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories.

Dennis K. Leedom, Ph.D.	3 Sep 97
PI - Signature	Date

TABLE OF CONTENTS

COVER

REPORT DOCUMENTATION PAGE

FOREWORD

TABLE OF CONTENTS

**MEASUREMENT INSTRUMENTS DEVELOPED FOR THE EMERGENCY
TEAM COORDINATION COURSE VALIDATION**

EMERGENCY TEAM COORDINATION COURSE - Instructor Guide

EMERGENCY TEAM COORDINATION COURSE - Student Guide

EMERGENCY MEDICINE EXPERT PANEL MINUTES - Panel #2

EMERGENCY MEDICINE EXPERT PANEL MINUTES - Panel #3

E-2411U

Contract # DAAL01-96-C-0091

Measurement Instruments

8 August 1997

Prepared By:

**Dynamics Research Corporation
Systems Division
60 Frontage Road
Andover, MA 01810**

**PM: Robert Simon
(508) 475-9090**

Prepared For:

**US Army Research Laboratory
Aberdeen Proving Ground, MD 21005**

POC: Mr. Michael Golden



DTIC QUALITY INSPECTED 3

DISTRIBUTION STATEMENT A

**Approved for public release
Distribution Unlimited**

E-2411U

**Interim Report on Measurement Instruments Developed
for The Emergency Team Coordination Course
Validation**

**John C. Morey
Dynamics Research Corporation**

**Mary Salisbury
Gregory D. Jay
Rhode Island Hospital**

8 August 1997

Prepared by:

**DYNAMICS RESEARCH CORPORATION
Systems Division
60 Frontage Road
Andover, MA 01810**

Prepared for:

**US Army Research Laboratory
Aberdeen Proving Ground, MD 21005**

Interim Report on Measurement Instruments Developed for The Emergency Team Coordination Course Validation

Contents

Introduction	1
Measurement Instruments.....	5
Resource Requirements for Data Collection	55
Appendix A. Behaviorally Anchored Rating Scales	A-1

LIST OF TABLES

1. Evaluation measures and instruments.....	3
2. Index to evaluation measure and instrument specifications	5
3. Factors associated with collecting measurement suite data.....	56
4. Scenario example: Time estimate for research assistant to gather data.....	58
5. Scenario example: Time estimate for research assistant to score and enter data.....	59
6. Scenario example: Total times for data collection, scoring, and data entry	59

Introduction

This report describes a variety of objective and subjective measures of performance specifically designed for hospital emergency departments (EDs). Dynamics Research Corporation (DRC), in cooperation with Rhode Island Hospital (RIH), is developing the data collection instruments to evaluate the Emergency Team Coordination Course (ETCC™), a training course in the principles and specific behaviors of effective teamwork designed for emergency department personnel. Because ETCC™ is based on a philosophy of evaluation-based instruction, the content and scope of the course evaluation instruments are a central concern for validation of the course. A complete description of the antecedents of the course and its goals and content are described in Simon, Morey, Locke and Blair (1995)¹. A brief summary is provided here.

A review of the medical malpractice literature suggested that teamwork errors are implicated in emergency medicine misadventures. Field observations in emergency departments provided examples of team processes such as communication, workload management, team building and leadership, planning, and decision-making wherein team effectiveness and efficiency could be improved. These field observations, supplemented with information on emergency department operations, resulted in a structure of essential team functions referred to as the emergency Team Dimensions (TDs). Specifications of superior, average, and very poor team behavior were developed for each of the five TDs as behaviorally anchored rating scales (BARS). These provided a basis for a suite of subjective and objective team assessment instruments developed earlier in the project. The one-day ETCC™ training program was developed that included lecture, discussion, and practical exercises to teach team skills.

This report summarizes the results of pilot tests of the original suite of instruments, and new instruments developed to fulfill specific measurement needs. The pilot tests were undertaken at the Davol adult emergency department of RIH. Note that the ETCC™ curriculum was not taught to Davol staff. However, the measures and instruments described in this report assess ED operations and staff processes that exist independent of the training. The training is designed to improve the quality of these operations and processes. The training is not required as a prerequisite to assessing the adequacy and performance of the instruments or measures. This design consideration permits the use of the instruments to develop baseline statistics prior to the training.

After introducing and describing the suite of measurement instruments in general terms, this report presents a detailed description of the instruments developed and data related to their

¹ Simon, R., Morey, J. C., Locke, A. M., & Blair, E. *Emergency team coordination course™ phase one report*. (Final Report). Wilmington, MA: Dynamics Research Corporation, 1995

administration and scoring. The next portion of the report provides descriptions of the manpower requirements to collect the data at a typical ETCC™ validation site. Course validation will consist of one or more pretraining measurement episodes lasting 30 days followed by one or more posttraining measurement episodes. Collection of selected operational data such as length of stay and quality assurance indicators is planned for the ten months surrounding the three months of full measurement suite data collection.

Evaluation Concept

The measurement instruments developed to assess the effectiveness of the team training program were designed to collect both subjective data (attitudes and opinion ratings) from hospital staff and patients and objective performance data (i.e., data reflecting the operational performance of the emergency department). The measurement philosophy is to conduct a broad assessment of the impact of the teamwork training by examining changes in staff and patients' attitudes, the behavior of teams, and the operational performance of the ED. It is unlikely that one type of measure will provide sufficient evidence of the course's impact, but collectively the measures will provide a comprehensive, multi-faceted account of its effectiveness. The variety of measurement instruments is shown in Table 1.

DRC and RIH developed all the subjective measurement instruments with the exception of the Maslach Burnout Inventory and the RIH patient satisfaction survey which are commercially available instruments. With respect to patient satisfaction, all other validation hospitals use their own locally-developed surveys. For the entire measurement suite, the goal was to create instruments that could be used in a wide variety of hospitals.

Objective performance data consists of length of stay data, times associated with selected treatment procedures such as thrombolytic therapy, times recorded in medical records at which significant patient assessment and treatment activities occurred, in-patient unit assessment of patient preparation for admission while in the ED, and data obtained from quality assurance (QA) reports, personnel reports, and the trauma registry. Attitude and opinion information consists of the Maslach Burnout Survey, ED staff members' satisfaction with their working environment and their attitudes towards teamwork. Patient satisfaction is assessed with a locally-developed or, as is the case at RIH, a commercially available patient satisfaction survey. Teamwork behavior is assessed with the BARS, subjective workload assessment, a stress scale, the Teamwork Nursing Assessment, and distance walked per shift (pedometer studies). Program evaluation consists of a student critique and course evaluation form presented to ETCC™ students at the completion of their classroom training.

Table 1. Evaluation Measures and Instruments

Measurement Area	Measures and Instruments
ED Performance	<ul style="list-style-type: none">• ED operations (e.g., length of stay, timed treatment procedures)• Admission Evaluation Survey• QA indicators• Administrative measures (e.g., absenteeism)• Trauma registry data elements
Attitude and Opinion	<ul style="list-style-type: none">• Maslach Burnout Inventory• Staff attitudes towards teamwork• Staff job satisfaction• Patient satisfaction• Patient wellbeing
Team Behavior	<ul style="list-style-type: none">• Behaviorally anchored ratings scales (BARS) measuring 5 Team Dimensions• Observed Error Record• Subjective workload• Stress scale• Teamwork Nursing Assessment• Pedometer studies
Program Evaluation	<ul style="list-style-type: none">• ETCC™ course critique

Development Activities

ED operations at RIH were examined with respect to data normally collected for administrative and quality assurance purposes. Examples of these types of measures are length of patient stay and number of patients who sign out against medical advice. Other measures were developed based on key concepts of the ETCC™ curriculum. Examples include assessment of subjective workload and degree to which physicians inform nurses that a patient will be admitted to the hospital. Operational data required an examination of the source and details of the particular information collected. No data collection instrument was required to collect these data, but a process for isolating the relevant data elements was established. Instruments based on the ETCC™ curriculum required a conceptualization of the process to be measured, and either identification of an existing instrument or creation of an instrument to collect the data. Once a data collection approach or instrument had been developed, the data collection process was begun to examine its operational characteristics. These characteristics included the efficiency of data collection and user acceptance and accuracy in completing specially-designed instruments. Some instruments underwent or are undergoing test-revise-retest cycles to arrive at their final form.

During the instrument development cycle, data were gathered on the amount of time it took a respondent to complete an instrument and the amount of time required to score or record

information from that instrument or an operational data source. This information was added to a data specification sheet that was created for each kind of operational datum or instrument.

The following section provides the current versions of the measurement instruments and the data specification sheets associated with selected instruments. Data specification sheets will be developed for all measures. Data specification sheets in this report are developmental drafts; they will be standardized and contain descriptive and implementation information helpful to validation site users. The instruments themselves and the data specification sheets will provide the basis for a measurement reference manual that DRC and RIH will develop for use by the validation sites. This manual will contain hardcopy and electronic versions of each instrument, detailed instructions on instrument administration and scoring, and other guidance on the measurement activities required for the course validation effort.

Measurement Instruments

This section contains all instruments developed to date together with specifications for these instruments and others still being pilot tested. The instrument is introduced by a title page that is followed by the instrument and the data specification sheets for some instruments. Table 2 presents a listing of the measures developed and their location in this report.

Table 2. Index to Evaluation Measure and Instrument Specifications

Measure	Page Number
ED Performance Measures	
Length of Stay	6-7
Throughput Times	8
Timed Procedures	9-11
Quality Assurance Indicators	12-13
Administrative Indicators	14
Trauma Registry Indicators	15-16
Admission Evaluation Survey	17-19
Attitude and Opinion	
Maslach Burnout Inventory	20-27
Staff Attitude and Job Satisfaction Survey	28
Patient Satisfaction Survey	29-35
Patient Wellbeing Survey	36-38
Team Behavior	
Behaviorally Anchored Rating Scales (BARS)	39-40
Observed Error Record	41
Subjective Workload and Stress Scales	43-47
Teamwork Nursing Assessment	48-50
Pedometer Studies	51
Program Evaluation	
ETCC™ Course Evaluation	52-54

Length of Stay

1. Measure Category: ED Performance

2. Type of Measure: Operational

3. Status of Development: Completed

4. Data Elements: Fixed

5. Data Fields:

- a. Date patient enters ED or is registered
- b. Time patient enters ED or is registered
- c. Date patient is discharged from ED
- d. Time patient is discharged from ED

6. Comments: At some institutions this measure is collected by an automated system. For those institutions without automated support, a sample of medical records will be conducted to obtain these data elements.

LENGTH OF STAY

Data Specifications

Data Item Descriptor	Definition and Specifications	Notes
Length of Stay (LOS)	Examines ED teamwork as it related to throughput time: Triage-Discharge. Retrospective measure designed to determine the functional relationship between ETCC™ and the impact upon LOS.	
Sampling Scheme	All patients admitted and discharged from the ED.	
Collection	<ul style="list-style-type: none">• Resources Needed: QA monitor.• Measure: QA reporting tool.• Time Estimation: site specific.	

Throughput Times

1. **Measure Category:** ED Performance
2. **Type of Measure:** Operational
3. **Status of Development:** Completed
4. **Data Elements:** Fixed
5. **Data Fields:**
 - a. Date patient enters ED
 - b. Time patient enters ED
 - c. Time patient is registered
 - d. Time of triage
 - e. Time patient is placed in treatment area
 - f. Time to first medication or procedure
 - g. Time physician sees patient
 - h. Date patient is discharged from ED
 - i. Time patient is discharged from ED
6. **Comments:** At some institutions these measures are collected by an automated system. For those institutions without automated support, a sample of medical records will be conducted to obtain these data elements.

Timed Procedures

1. Measure Category: ED Performance

2. Type of Measure: Operational

3. Status of Development: Completed

4. Data Elements: Variable

5. Data Fields:

a. Thrombolytic Therapy for Chest Pain

- 1) Arrival time in ED
- 2) Time to EKG
- 3) EKG to Decision for tPA
- 4) Discharge time

b. Thrombolytic Therapy for Stroke

- 1) Arrival time in ED
- 2) Time to CT
- 3) EKG to Decision for tPA
- 4) Discharge time

c. Chest Pain - Time to Catheterization Laboratory

- 1) Arrival time in ED
- 2) EKG Time
- 3) Time to Catheterization Lab
- 4) Time patient left ED

d. Time to Charcoal Treatment

- 1) Arrival time in ED
- 2) Time to medication or treatment

e. Pediatric Asthma Pathway

- 1) Arrival time in ED
- 2) Time to medication or treatment

f. Time to Antibiotic in Meningitis or Septic Children

- 1) Arrival time in ED
- 2) Time to medication or treatment

g. Time from Medication Order of Medication Administration

- 1) Arrival time in ED
- 2) Time to medication or treatment

h. Time to Antibiotic in Fever in Children under 3 Months of Age

- 1) Arrival time in ED
- 2) Time to medication or treatment

**TIMED PROCEDURES:
THROMBOLYTIC THERAPY FOR CHEST PAIN**

Data Specifications

Data Item Descriptor	Definition and Specifications	Note
Thrombolytics	Objective outcome measure: Assess for ED teamwork throughput time: door to drug.	
Sampling Scheme	All ED patients receiving tPA.	
Collection	<ul style="list-style-type: none"> • Resources Needed: QA monitor. • Measure: -site specific QA tool. • Time Estimation: site specific 	

Quality Assurance Indicators

1. **Measure Category:** ED Performance
2. **Type of Measure:** Operational
3. **Status of Development:** Completed
4. **Data Elements:** Variable
5. **Data Fields:**
 - a. Number of patients who left against medical advice (AMA)
 - b. Number of patients who left without being seen (LWBS)
 - c. Number of patients who left before treatment completed
 - d. Number of mislabeled laboratory specimens
 - e. Number of mislabeled blood tubes
 - f. Number of blood culture specimens contaminated
 - g. Number of medication errors
 - h. Number of patient complaints
 - i. Number of patient compliments
 - j. Number of unexpected patient returns within 48 or 72 hours
 - k. Number of treatment delays due to consultants
 - l. Number of patient falls
 - m. Number of ED deaths
6. **Comments:** Validation sites collect one or more of these elements, but not necessarily all of them. Frequency of reporting may be weekly or monthly.

QUALITY ASSURANCE INDICATORS

Data Specifications

Data Item Descriptor	Definition and Specifications	Note
Quality Assurance Data	Longitudinal adverse medical event report; retrospective measure designed to determine the functional relationship between MedTeams (training) Emergency Team Coordination Course and adverse medical events.	
Sampling Scheme	All patients admitted to ED currently have their care reviewed against the standards.	
Location for Data Components	<p>Indicator/Variable:</p> <ul style="list-style-type: none"> - LWBS - not registered - ER01 SMS Report. - AMA - registered ER01 SMS Report. - Unscheduled returns (72 hours) PMS-5NPA - Davol IS report. - PMS-5NPC - Hasbro IS report. - Complaints - falls, MED errors, incident reports. - Pt. in ED > 6 hrs - SMS report. 	<ul style="list-style-type: none"> • Know where to find the data currently gathered by your institution. • Know what information service report it is retrieved from if relevant.

Administrative Indicators

- 1. Measure Category:** ED Performance
- 2. Type of Measure:** Operational
- 3. Status of Development:** Completed
- 4. Data Elements:** Variable
- 5. Data Fields:**
 - a. Hours of sick leave used
 - b. Number of incidents of tardiness
 - c. Number of unexcused absences
 - d. Number of staff resignations or terminations
 - e. Net revenue per visit
 - f. Total expense per visit
 - g. Number of visits per day
 - h. Number of admissions to inpatient units
 - i. Census per hour
 - j. Acuity level of ED patients per day
- 6. Comments:** Frequency of measurement of these indicators varies from daily, weekly, or monthly.

Trauma Registry Indicators

1. **Measure Category:** ED Performance

2. **Type of Measure:** Operational

3. **Status of Development:** Completed

4. **Data Elements:** Fixed (National TRACS Data Base)

5. **Data Fields:**

a. Demographics

- 1) 11 indicators that identify the patient are collected at sites but will not be recorded in the validation database
- 2) Patient sex
- 3) Patient date of birth
- 18) Revised Trauma Score at scene
- 19) Use of CPR at scene
- 20) Airway management at scene
- 21) Use of MAST trousers at scene
- 22) Use of fluids at scene

b. Injury

- 1) Date of injury
- 2) Time of injury
- 3) City of injury
- 4) State of injury
- 5) Zip code of injury
- 6) Blunt or penetrating injury
- 7) Cause of injury (E-Code)
- 8) Site of injury
- 9) Police report number
- 10) Position of patient in vehicle
- 11) Safety equipment in use
- d. **Referring Hospital**
 - 1) Hospital transfer
 - 2) Referring hospital name
 - 3) Referring physician
 - 4) Arrival date at ref hospital
 - 5) Arrival time at ref hospital
 - 6) Discharge date from ref hospital
 - 7) Discharge time from ref hospital
 - 8) Pulse at ref hospital
 - 9) Respiratory rate at ref hospital
 - 10) Blood pressure at ref hospital
 - 11) Eye movement at ref hospital
 - 12) Verbal response at ref hospital
 - 13) Motor response at ref hospital
 - 14) Glasgow Coma Score at ref hospital
 - 15) Revised Trauma Score at ref hospital

c. Prehospital

- 1) Name of EMS
- 2) EMS run number
- 3) Condition of patient at scene
- 4) Dispatch date of EMS
- 5) Dispatch time of EMS
- 6) Scene arrival time of EMS
- 7) Scene departure time of EMS
- 8) Arrival time at first hospital
- 9) Total scene time
- 10) Total transport time
- 11) Pulse at scene
- 12) Respiratory rate at scene
- 13) Blood pressure at scene
- 14) Eye movement at scene
- 15) Verbal response at scene
- 16) Motor response at scene
- 17) Glasgow Coma Score at scene
- e. **Emergency Department Admission**
 - 1) Mode of transport
 - 2) Arrive from
 - 3) Direct admission
 - 4) Arrival date in ED
 - 5) Arrival time in ED
 - 6) Discharge time from ED
 - 7) Chief complaint
 - 8) Arrival condition
 - 9) Trauma surgeon response time
 - 10) Neurosurgeon response time
 - 11) Temperature at ED
 - 12) Pulse in ED
 - 13) Respiratory rate in ED
 - 14) Blood pressure in ED

- 15) Eye movement in ED
 - 16) Verbal response in ED
 - 17) Motor response in ED
 - 18) Glasgow Coma Scale on ED arrival
 - 19) Revised Trauma Score on ED arrival
- f. Emergency Department Treatment**
- 1) Head CT scan in ED
 - 2) Abdominal CT scan in ED
 - 3) Peritoneal lavage in ED
 - 4) Arteriogram in ED
 - 5) Airway management in ED
 - 6) Use of CPR in ED
 - 7) Units of blood given in ED
 - 8) Drug screen results in ED
 - 9) Blood alcohol level in ED
 - 10) Hematocrit in ED
 - 11) Base deficit in ED
 - 12) ED disposition
 - 13) Admit services
- g. Hospital Diagnoses**
- 1) ICD-9 diagnosis codes 1 through 10
(uses 10 data fields)
 - 2) AIS score of diagnoses 1 through 10
(uses 10 data fields)
 - 3) Automatic calculation for AIS Score for:
head and neck, face, chest, abdomen,
extremities, skin and soft tissue
 - 4) Automatic calculation for ISS
- h. Operations**
- 1) Operation ICD-9 for codes 1 through 10
(uses 10 data fields)
 - 2) ICD-9 description codes 1 through 10
(uses 10 data fields)
 - 3) Date of operation for codes 1 through 10
(uses 10 data fields)
 - 4) Time of operation for codes 1 through 10
(uses 10 data fields)
- i. QA Indicators**
- 1) Scene time greater than 20 minutes
 - 2) No EMS report
 - 3) GCS less than 13 and no head CT
 - 4) No neurological documents
 - 5) No hourly chart documents
 - 6) Uncontrolled airway in comatose patient
 - 7) Patient readmitted within 72 hours after
initial evaluation
 - 8) Nonoperative abdominal GSW
 - 9) Late craniotomy for intracranial
hemorrhage
 - 10) Late laparotomy (>2 hours)
- 11) Interhospital transfer (>6 hours)
 - 12) Late treatment of open tibial fracture (>8
hours)
 - 13) Unplanned reoperation within 48 hours
 - 14) Late truncal, cranial or vascular operation
(> 24 hours)
 - 15) Nonsurgeon admission
 - 16) Nonoperative fixation of femoral shaft
fracture
 - 17) Cervical spine fracture missed on
admission
- j. Complications**
- 1) Deep venous thrombosis
 - 2) Hemo/pneux thorax
 - 3) Shock
 - 4) Empyema
 - 5) Cardiac arrest
 - 6) Intra-abdominal abscess
 - 7) Myocardial infarction
 - 8) Other abscess
 - 9) Congestive heart failure
 - 10) Sepsis
 - 11) Coagulopathy
 - 12) GI bleed
 - 13) Compartment syndrome
 - 14) Pseudomemb. Colitis
 - 15) Arrhythmia
 - 16) Small bowel obstruction
 - 17) Arterial occlusion
 - 18) Ent. Cutan fistula
 - 19) Abd wound complication
 - 20) Enterotomy
 - 21) Decubiti
 - 22) Cholecystitis
 - 23) Acute renal failure
 - 24) Hyperbilirubinemia
 - 25) UTI
 - 26) Stroke
 - 27) Respiratory failure
 - 28) Encephalopathy
- k. Outcome**
- 1) Self care
 - 2) Mobility
 - 3) Verbal
 - 4) FIM score
 - 5) Days in the ICU
 - 6) Days in the hospital
 - 7) Hospital charges
 - 8) Reimbursed charges
 - 9) Hospital disposition
 - 10) Data entry complete

Admission Evaluation Survey

- 1. Measure Category:** ED Performance
- 2. Type of Measure:** Survey
- 3. Status of Development:** Completed
- 4. Data Elements:** Fixed
Comments text
- 5. Data Fields:** Form

- You have just received a patient admitted through the ED.
- In support of MEDTEAMS, an ED Research project, please take a moment to provide the ED with process feedback.
- This form is self explanatory and meant to be completely anonymous. Please do not write any caregiver or patient names on the form or the information must be discarded.
- When the form is completed place in the specially provided envelope on your unit labeled "Mary Salisbury RN". Your Clinical Manager will return the completed forms on a regular basis.

Thank you for your time; although voluntary, your participation is very supportive.

Emergency Department Admission Evaluation Survey

1. Time elapsed between report and patient arrival to patient unit. _____ hrs _____ min
2. Is the patient in pain? Yes No
 If the answer is YES, does the patient know what to do with respect to pain? Yes No
Examples: Call for the nurse
Is aware pain Rx is ordered every 4 hours
3. Have all **ordered** ED medications been given? Yes No
 If the answer is NO, were you informed why not? Yes No
4. Are intravenous line and medications running at their described rate? Yes No NA
5. Is the patient aware of why he or she was admitted? Yes No See Comments
6. Were family members or guardians advised of the patient's condition? Yes No See Comments
7. Are family members or guardians aware that the patient was admitted to your unit? Yes No See Comments
8. Is the patient's condition consistent with the ED report? Yes No
9. Has the patient been provided with an identification bracelet? Yes No
10. Was report given by that patient's primary nurse? Yes No
11. Was the ED nurse's report professional? Yes No
Examples of professional expectations:
 (1) A clear and well communicated systems report
 (2) The ED nurse identifies self by name
 (3) The ED nurse encourages "call back" from receiving RN if there are any questions or concerns.

Comments:

ADMISSION EVALUATION SURVEY

Data Specifications

Data Item Descriptor	Definition and Specifications	Note
Admission Evaluation Survey	<ul style="list-style-type: none"> • Outcome oriented dichotomous assessment measure: Designed to measure ED team achievement of specific standard based outcomes. • Dichotomous type assessment chosen to gather factual information. • Closed question efficiency increases predictability of time-to-completion. 	<ul style="list-style-type: none"> • Envisioned as a “high risk” questionnaire from the ED practitioners’ perspective. • Staff received education specific to the tool and the intent of the tool. all info confidential • all info reported in the aggregate
Sampling Scheme	<ul style="list-style-type: none"> • Placed on admission record/chart for all admitted patients. • All data accounted for by numbering assessment forms. 	Admission clerk function.
Collection Time Estimate	<ul style="list-style-type: none"> • Resources Needed: <ul style="list-style-type: none"> -Completed by “in-house” nursing staff. -Scored by research assistant. -Data entered by research assistant. -Analyzed by PI • Time Estimation: 1 minute average per respondent. ↑ time to complicated medical plans of care. 	

Maslach Burnout Inventory

- 1. Measure Category:** Attitude and Opinion
- 2. Type of Measure:** Survey
- 3. Status of Development:** Completed
- 4. Data Elements:** Fixed
- 5. Data Fields:** Form



Rhode Island Hospital

593 Eddy Street
Providence, R.I. 02903

RIH Project #

N/A
Name of Patient

AGREEMENT TO PARTICIPATE IN CLINICAL INVESTIGATION

Occupational Stress Within the Medical Profession: An Assessment of Burnout and Coping Methods

You are being asked to participate in a research project as described in this form below. All such research projects carried out in this Hospital are covered by the rules of both the Federal Government and the Rhode Island Hospital. These rules require that you give your signed agreement to participate in this project.

The co-investigators will explain to you in detail the purpose of the project, the procedures to be used, and the potential benefits and possible risks of participation. You may ask him/her any questions you may have to help you understand the project. A basic explanation of the project is written below. Please read this explanation and discuss any questions you might have with the co-investigators.

If you then decide to participate in the project, please sign this form on the line below in the presence of a witness and the person who explained the project to you. You should be given a copy of this form to keep.

1. Nature and Purpose of the Project

The purpose of this project is to determine both the level of burnout and coping mechanisms among Rhode Island Hospital health care workers. Burnout is a condition that can seriously impair the performance of health care workers; it often causes stress, depersonalization and reduced productivity in individuals. Various studies have been performed examining the correlation between burnout and gender, intradepartmental workers, and prehospital personnel. In this study, however, we hope to assess the level of burnout in Rhode Island Hospital medical professionals, in particular emergency physicians, surgeons, and internal medicine physicians. We will compare the levels of burnout both among three departments and also among prehospital personnel, secretaries, nurses, medical students, residents, and attending physicians within these departments. Furthermore, we would like to evaluate the coping mechanisms of those surveyed.

2. **Explanation of Procedures**

Physicians from the above three departments will be asked to voluntarily complete a survey to determine respondent demographics, burnout levels, and coping mechanisms. The portions of this survey designed to assess burnout and coping methods are modeled after the Malsach Burnout Inventory (1993), a standard model used to assess these parameters.

Any questions regarding the survey should be directed to Dr. Bruce Becker through any of the three co-investigators, Dinesh Bahl (401)863-4858, Eric Blackiston (401) 863-6428, and Carl Chang (401) 863-4858. Dr. Becker may be contacted at (401) 444-5411 (Rhode Island Hospital Emergency Department).

3. **Discomforts and Risks**

We do not foresee any risks or discomforts by participating in this survey.

4. **Benefits**

We hope that we will both learn much about physician burnout from this study and that it will eventually result in changes in policy that may lead to alterations in your work environment.

5. **Alternative Therapies**

Non-applicable.

6. **Confidentiality**

All records relating to this project will be handled and safeguarded according to standard Hospital policy for all medical records. Your medical record will always be handled in conformity with the Rhode Island Act relating to the confidentiality of health care information.

The information provided in this survey will be kept confidential. The principal investigator will not have access to the completed survey or database used in this study. When the results are reported there will be no way for readers to single out individual responses. Furthermore, when data is reported, no correlation will be made between demographic parameters and individual items in the survey; however, data from the survey will be correlated with the three subscales.

7. **Refusal/Withdrawal**

Participation in this project is completely voluntary.

8. Information

We do not expect any (further) unusual risks as a direct result of this project. However, should an unforeseen physical injury occur, appropriate medical care, as determined by the Hospital, will be provided but no financial compensation will be given. Further information in regard to this provision can be obtained by calling the Office of Research Administration at 444-6246.

If you are experiencing difficulties of any type, please feel free to call the appropriate resource(s).

RIH EAP Program **(401) 732-9444**
(800) 445-1195

- counseling for any issues in an environment of strict confidentiality.

Alcoholics Anonymous (401) 438-8860

Cocaine Anonymous (401) 276-3039

Narcotics Anonymous (401) 461-1110

Appendix A

I ACKNOWLEDGE THAT I HAVE READ AND FULLY UNDERSTAND THE ABOVE CONSENT, THAT ALL OF MY QUESTIONS HAVE BEEN SATISFACTORILY ANSWERED, AND I AGREE TO PARTICIPATE IN THIS PROJECT.

☐ YES

☐ NO

The purpose of this survey is to discover how medical professionals view their job and the people with whom they work closely.

Age: _____

Gender: _____

Marital Status: _____

Ethnicity: _____

Position and Year (if applicable): _____
example: 3rd-year medical student

Hours worked per week: _____

Number of hours per shift: _____

Please indicate the shift worked most often:

☐ 7 AM - 3:15 PM

☐ 11:15 PM - 7:15 AM

☐ 3 PM - 11:30 PM

☐ Other: _____

Number of years in particular profession: _____

Number of years you expect to remain in
your current profession: _____

Below are 41 statements of job-related feelings. Please read each statement carefully and decide if you ever feel this way *about your profession*. If you have *never* had this feeling, write a "0" (zero) in the space before the statement. If you have had this feeling, indicate *how often* you feel it by writing the number (from 1 to 6) that best describes how frequently you feel that way. Below is an example:

Example:

HOW OFTEN:	0	1	2	3	4	5	6
	Never	A few times a year or less	Once a month or less	A few times a month	Once a week	A few times a week	Everyday

HOW OFTEN

0-6

Statement:

_____ I feel depressed at work.

If you *never* feel depressed at work, would write the number "0" (zero) under the heading "HOW OFTEN." If you *rarely* feel depressed at work (a few times a year or less), you would write the number "1". If your feelings of depression are fairly frequent (a few times a week, but not daily) you would write a "5."

HOW OFTEN:	0	1	2	3	4	5	6
	Never	A few times a year or less	Once a month or less	A few times a month	Once a week	A few times a week	Everyday

HOW OFTEN

0-6

Statements:

1. _____ I feel emotionally drained from my work.
2. _____ I feel used up at the end of the workday.
3. _____ I feel fatigued when I get up in the morning and have to face another day on the job.
4. _____ I can easily understand how my patients feel about things.
5. _____ I feel I treat some patients as if they were impersonal objects.
6. _____ Working with staff and patients all day is really a strain for me.
7. _____ I deal very effectively with the problems of my patients.
8. _____ I feel burned out from my work.
9. _____ I feel I'm positively influencing other people's lives through my work.
10. _____ I've become more callous toward patients since I took this job.
11. _____ I worry that this job is hardening me emotionally.
12. _____ I feel very energetic.

13. _____ I feel frustrated by my job.
14. _____ I feel I'm working too hard on my job.
15. _____ I don't really care what happens to some patients.
16. _____ Working with staff and patients directly puts much less stress on me.
17. _____ I can easily create a relaxed atmosphere with my patients.
18. _____ I feel exhilarated after working closely with my patients.
19. _____ I have accomplished many worthwhile things in this job.
20. _____ I feel like I'm at the end of my rope.
21. _____ In my work, I deal with emotional problems very calmly.
22. _____ I feel patients blame me for some of their problems.

Thank you for completing this survey!

*Please return this survey to either Dinesh, Eric, or Carl, or deposit it in
in the ACM Room.*

MASLACH BURNOUT INVENTORY

Data Specifications

Data Item Descriptor	Definition and Specifications	Notes
Maslach Burnout Inventory	<ul style="list-style-type: none"> Self report rating survey used to determine the degree of burnout for hospital ED personnel. Rating Statements: Respondents asked to judge statement along an ordered dimension. Maslach & Jackson (1986)* define emotional exhaustion as being “emotionally overextended and exhausted by one’s work.” Depersonalization is described as having “an unfeeling and impersonal response towards recipients of one’s care of service,” and personal accomplishment is characterized as having feelings of “competence and successful achievement in one’s work with people”. 	
Sampling Scheme	<ul style="list-style-type: none"> Target population: All ED RNs, Drs. and technicians All data accounted for by numbered surveys. 	
Collection	<ul style="list-style-type: none"> Resources needed: research assistant. Measure: <ul style="list-style-type: none"> -administered by research assistant. -scored by research assistant. -Data entered by research assistant. -Analyzed by PI. Time Estimation - 15 min/respondent. 	

*Maslach, C., and S.E. Jackson. (1986). *Maslach Burnout Inventory Manual*. 2nd Ed. Palo Alto: Consulting Psychologist Press.

Staff Attitude and Job Satisfaction Survey

- 1. Measure Category:** Attitude and Opinion
- 2. Type of Measure:** Survey
- 3. Status of Development:** Under Development
- 4. Data Elements:** Fixed
- 5. Data Fields:** Form

Patient Satisfaction Survey

- 1. Measure Category:** Attitude and Opinion
- 2. Type of Measure:** Survey
- 3. Status of Development:** Review and modification of hospital-specific instruments
- 4. Data Elements:** Fixed
- 5. Data Fields:** Form
- 6. Comments:** Hospitals use a set of questions and a survey format (either printed form or telephone interview) either developed locally or obtained from a commercial vendor. Pages 30 to 33 provide a copy of the instrument used at RIH. Page 35 provides a form used at a military hospital.

Questions specific to teamwork processes or outcomes are being investigated as additions to existing patient satisfaction surveys.

Emergency Department Patient Experience SurveySM

Our Commitment to Quality Patient Care



**Rhode Island
Hospital**

Please help us to improve the emergency services at Rhode Island Hospital. Listed below are experiences patients sometimes encounter. We sincerely hope that your most recent visit went smoothly. If, however, it didn't, we want to know.

In each of the following sections, please check the appropriate box ☐ to indicate whether any item was experienced during your visit. If the question does not apply to your experience, please leave it blank. Then, check the box ☐ under the grade that represents your evaluation of hospital performance in that category. Space is provided at the end of the questionnaire for any comments you may wish to make.

1-4
5-1
8-9

PARKING AND ACCESS

(If you arrived by ambulance, skip to Registration Procedures)

Please indicate ☐ your experience in the following areas:

- | Yes | No | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | 20 Emergency Department parking area was easy to find. |
| <input type="checkbox"/> | <input type="checkbox"/> | 21 You easily found a parking space. |
| <input type="checkbox"/> | <input type="checkbox"/> | 22 The designated parking area was convenient to the Emergency Department. |
| <input type="checkbox"/> | <input type="checkbox"/> | 23 A wheelchair was available, if needed. |
| <input type="checkbox"/> | <input type="checkbox"/> | 24 You had to pay for parking. |
| <input type="checkbox"/> | <input type="checkbox"/> | 25 The parking area was well lighted. |
| <input type="checkbox"/> | <input type="checkbox"/> | 26 Assistance from staff in getting you out of your vehicle was provided, if needed. |

Overall, your parking and access experience was:

Excellent	Good		Fair		Poor	Unacceptable				
A	A-	B+	B	B-	C+	C	C-	D+	D	F
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	09	08	07	06	05	04	03	02	01	00

29-30

TRIAGE PROCEDURES

Did a nurse (we call this person a "triage nurse") see you at the front desk prior to being registered?

☐ 1 Yes ☐ 2 No 33

Please indicate ☐ your experience in the following areas:

- | Yes | No | |
|--------------------------|--------------------------|---|
| <input type="checkbox"/> | <input type="checkbox"/> | 34 Your physical condition was adequately assessed by the triage nurse. |
| <input type="checkbox"/> | <input type="checkbox"/> | 35 Triage nurse treated you kindly. |
| <input type="checkbox"/> | <input type="checkbox"/> | 36 Privacy during triage was adequate. |
| <input type="checkbox"/> | <input type="checkbox"/> | 37 The triage area was adequately staffed for the number of patients. |

Overall, triage procedures were:

Excellent	Good		Fair		Poor	Unacceptable				
A	A-	B+	B	B-	C+	C	C-	D+	D	F
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

38-39

REGISTRATION PROCEDURES

Please indicate ☒ your experience in the following areas:

- | | | |
|--------------------------|--------------------------|--|
| Yes | No | |
| <input type="checkbox"/> | <input type="checkbox"/> | 40 Registration procedures were clear. |
| <input type="checkbox"/> | <input type="checkbox"/> | 41 You were treated kindly by the staff during registration. |
| <input type="checkbox"/> | <input type="checkbox"/> | 42 The number of forms required for registration was reasonable. |
| <input type="checkbox"/> | <input type="checkbox"/> | 43 Privacy during registration was adequate. |
| <input type="checkbox"/> | <input type="checkbox"/> | 44 Time spent on registration procedures was appropriate. |
| <input type="checkbox"/> | <input type="checkbox"/> | 45 Adequate information about payment or billing was provided. |
| <input type="checkbox"/> | <input type="checkbox"/> | 46 You were informed of reason for any delay in registration. |
| <input type="checkbox"/> | <input type="checkbox"/> | 47 The reception area was adequately staffed for the number of patients. |

Overall, registration procedures were:

Excellent	Good	Fair	Poor	Unacceptable
A	A- B+	B- C+	C- D+	D F
<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>
10	09 08	06 05	03 02	01 00

48-49

WAITING ROOM

Please indicate ☒ your experience in the following areas:

- | | | | | | |
|--------------------------|--------------------------|--|--------------------------|--------------------------|---|
| Yes | No | | Yes | No | |
| <input type="checkbox"/> | <input type="checkbox"/> | 52 Waiting room was quiet. | <input type="checkbox"/> | <input type="checkbox"/> | 57 Television was available. |
| <input type="checkbox"/> | <input type="checkbox"/> | 53 Waiting room was clean. | <input type="checkbox"/> | <input type="checkbox"/> | 58 Length of waiting time was reasonable. |
| <input type="checkbox"/> | <input type="checkbox"/> | 54 Waiting room was comfortable. | <input type="checkbox"/> | <input type="checkbox"/> | 59 The restroom was easy to find. |
| <input type="checkbox"/> | <input type="checkbox"/> | 55 Waiting room seating capacity was adequate. | <input type="checkbox"/> | <input type="checkbox"/> | 60 The restroom was clean. |
| <input type="checkbox"/> | <input type="checkbox"/> | 56 You were informed of reason for any delay. | <input type="checkbox"/> | <input type="checkbox"/> | 61 Refreshment facilities were available. |

Overall, the waiting room was:

Excellent	Good	Fair	Poor	Unacceptable
A	A- B+	B- C+	C- D+	D F
<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>

64-65

TREATMENT

Please indicate ☒ your experience in the following areas:

- | | | |
|--------------------------|--------------------------|---|
| Yes | No | |
| <input type="checkbox"/> | <input type="checkbox"/> | 68 Length of wait to see a nurse was reasonable. |
| <input type="checkbox"/> | <input type="checkbox"/> | 69 Privacy during treatment was adequate. |
| <input type="checkbox"/> | <input type="checkbox"/> | 70 You were informed of reason for any delay. |
| <input type="checkbox"/> | <input type="checkbox"/> | 71 Length of wait to see a physician was reasonable. |
| <input type="checkbox"/> | <input type="checkbox"/> | 72 Family member/friend who accompanied you was kept informed about your condition. |
| <input type="checkbox"/> | <input type="checkbox"/> | 73 You spent an appropriate amount of time with a physician. |
| <input type="checkbox"/> | <input type="checkbox"/> | 74 Length of wait to see a specialist, if required, was reasonable. |
| <input type="checkbox"/> | <input type="checkbox"/> | 75 Your condition was correctly diagnosed and treated. |

Appropriate time was spent in identifying problem by:
 Staff introduced themselves and identified their role:
 Adequate explanation about condition or treatment was given by:
 You were treated kindly by:
 All of your questions were answered by:
 Your problem was taken seriously by:
 Your privacy was respected by:

Nurses		Emergency Physicians		Specialist Physicians		Technicians	
1	2	1	2	1	2	1	2
Yes	No	Yes	No	Yes	No	Yes	No
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not Applicable	20-22
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	23-26
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not Applicable	27-29
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30-33
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34-37
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	38-41
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	42-45

Overall, treatment was:

Excellent	Good	Fair	Poor	Unacceptable
A	A- B+	B- C+	C- D+	D F
<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>

48-49

X-RAY AND LABORATORY SERVICES

(If you did not receive X-ray or Laboratory services, please skip this section.)

Please indicate ☒ your experience in the following areas:

- Transportation to X-ray area was satisfactory.
- Length of wait for X-ray or laboratory tests was reasonable.
- You were treated with concern by staff.
- Privacy during X-ray was adequate.
- Staff provided a satisfactory explanation of test procedures.
- An attendant was present during X-ray services.
- Length of wait for results of X-ray or lab tests was reasonable.
- Privacy and comfort for specimen collection was satisfactory.
- Staff demonstrated adequate skill in performing tests.

X-ray Services		Lab Tests	
1	2	1	2
Yes	No	Yes	No
<input type="checkbox"/>	<input type="checkbox"/>	Not Applicable	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	Not Applicable	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	Not Applicable	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Not Applicable		<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

52
53-54
55-56
57
58-59
60
61-62
63
64-65

Overall, X-ray services were:

Excellent	Good		Fair		Poor		Unacceptable
A	A-	B+	B	B-	C+	C	F
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	09	08	07	06	05	04	00

68-69

Overall, Laboratory tests were:

Excellent	Good		Fair		Poor		Unacceptable
A	A-	B+	B	B-	C+	C	F
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

70-71

DISCHARGE PROCEDURES

(If you were admitted to the hospital through the Emergency Department, please skip this section.)

Please indicate ☒ your experience in the following areas:

Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	20 Discharge procedures were understandable.
<input type="checkbox"/>	<input type="checkbox"/>	21 You were treated with courtesy by nursing staff during discharge procedures.
<input type="checkbox"/>	<input type="checkbox"/>	22 After physician ordered discharge, your wait was appropriate.
<input type="checkbox"/>	<input type="checkbox"/>	23 Instructions about medications, continued care, or condition were adequate.
<input type="checkbox"/>	<input type="checkbox"/>	24 A wheelchair was available, if needed.
<input type="checkbox"/>	<input type="checkbox"/>	25 Appropriate assistance was provided by staff upon departure.
<input type="checkbox"/>	<input type="checkbox"/>	26 Transportation pick-up area was convenient.

Overall, discharge procedures were:

Excellent	Good		Fair		Poor		Unacceptable
A	A-	B+	B	B-	C+	C	F
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

29-30

OVERALL SATISFACTION

Overall, the care provided during your visit at this hospital was:

Excellent	Good		Fair		Poor		Unacceptable
A	A-	B+	B	B-	C+	C	F
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

33-34

How do you compare our Emergency Department services with other local hospitals?

☐ 1 Better ☐ 2 About the same ☐ 3 Worse ☐ 4 Don't know

35

How willing are you to:

	Very Willing	Somewhat Willing	Somewhat Unwilling	Very Unwilling
	1	2	3	4
Use our emergency services again:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Recommend our services to others:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Be hospitalized at our hospital:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

36

37

38

ADDITIONAL INFORMATION

Did you arrive by ambulance? ☐ 1 Yes ☐ 2 No 41

If you came by ambulance, were you able to choose the hospital? ☐ 1 Yes ☐ 2 No 42

Were you transferred from another hospital to Rhode Island Hospital? ☐ 1 Yes ☐ 2 No 43

Have you ever used a hospital Emergency Department before? ☐ 1 Yes ☐ 2 No 44

If yes, have you used this Emergency Department before? ☐ 1 Yes ☐ 2 No 45

If yes, how many times in the last 12 months? _____ 46-48

Do you have a Primary Care physician for routine care? ☐ 1 Yes ☐ 2 No 49

If YES, why didn't you go to your Primary Care Physician?

☐ 54 No appointments available ☐ 55 Need was urgent ☐ 56 Physician referred me ☐ 57 Other

If there were a walk-in center for urgent care in another convenient location that were open, would you have gone there instead of the Emergency Department? ☐ 1 Yes ☐ 2 No 64

Please indicate the reason(s) for selecting this hospital for your emergency care.

☐ 66 Close to home ☐ 69 Insurance reasons ☐ 72 Ambulance personnel selected

☐ 67 Referred by physician ☐ 70 Hospital reputation

☐ 68 Recommendations of family/friend ☐ 71 Previous experience ☐ 73 Other

Have you or a family member used any of the following services at this hospital in the last 12 months?

Outpatient clinics/ambulatory surgery 20 ☐ 1 Yes ☐ 2 No Inpatient treatment 21 ☐ 1 Yes ☐ 2 No 5=4

How long did you have to wait:

	0-15 minutes 1	16-30 minutes 2	1/2-1 hour 3	1-2 hours 4	2-3 hours 5	3-6 hours 6	
To be registered?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30
In the waiting room?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31
In the treatment room to see the nurse?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32
In the treatment room to see the physician?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	33
To get blood drawn or an ECG?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34
For an X-ray?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35
For laboratory test results?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	36
In all, how much time did you spend in the Emergency Department?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	37

What day of the week was this visit?

☐ 1 Monday ☐ 2 Tuesday ☐ 3 Wednesday ☐ 4 Thursday 43

☐ 5 Friday ☐ 6 Saturday ☐ 7 Sunday

What time of day did you arrive for this visit?

☐ 1 7 am - 3 pm ☐ 2 3 pm - 11 pm ☐ 3 11 pm - 7 am 44

Your age: ☐ 1 Under 18 ☐ 2 18-24 ☐ 3 25-40 ☐ 4 41-64 ☐ 5 65 and over 45

Your sex: ☐ 1 Male ☐ 2 Female 46

Type(s) of Health Insurance:

☐ 54 None/Self-pay ☐ 57 Medicare ☐ 60 HMO/PPO ☐ 63 Other

☐ 55 Blue Cross/Blue Shield ☐ 58 Medicaid/Welfare ☐ 61 CHAMPUS

☐ 56 Commercial ☐ 59 Worker's Compensation ☐ 62 General Public Assistance (GPA)

We would appreciate any additional comments or suggestions, favorable or unfavorable:

Patient Name/Address/Telephone (Optional) _____

THANK YOU VERY MUCH FOR YOUR HELP

Please place the questionnaire in the envelope provided and mail it as soon as possible to:
GORDON S. BLACK CORPORATION, 135 Corporate Woods, Rochester, NY 14623-1457

PATIENT SATISFACTION SURVEY
EXAMPLE: GORDON BLACK PATIENT EXPERIENCE SURVEY

Data Specifications

Data Item Descriptor	Definition and Specifications	Notes
Gordon Black ED Patient Experience Survey	Multi Method; outcome oriented survey. Respondent is queried regarding ED experience. Provides an ability to study the relationship between ED patient satisfaction and the variables related to ED experience.	Know the type of patient satisfaction survey currently used at your institution.
Sampling Scheme	Pre and post MedTeams Training to all patients seen and discharged from ED within one month timeframe.	Know how often and when the survey is administered at your site.
Collection	<ul style="list-style-type: none"> • Resources - TBD* • Measure: Gordon Black time to administer-site specific <ul style="list-style-type: none"> -scoring - TBD -analyzed by PI -data entry • Time Estimation - TBD 	<ul style="list-style-type: none"> • Know who administers and scores the survey for your institution. • Come prepared to discuss your ability to gain access to patient satisfaction scores. We would need the ability to report data in the aggregate to demonstrate the impact of MedTeams training on those scores.

Emergency Medicine Department Exit Survey

Please take a few seconds to help us serve you better!

Age: _____ Date: _____ Time: _____ AM / PM
Sex: _____ M / F Race: _____ Status: _____ AD / Ret. / Family Member

Please circle the number that best shows how you feel.

"1" = Strongly Disagree

"5" = Strongly Agree

1. I understood what my Doctor told me to do when I go home.

1 2 3 4 5

2. I understood what my Nurse or Corpsman told me to do when I go home.

1 2 3 4 5

3. I understand the AfterCare™ Instruction Sheet(s).

1 2 3 4 5

4. I can read and understand the Hand-Written Instructions.

1 2 3 4 5

5. I understand how to use the Medicines I was prescribed.

1 2 3 4 5

I was not prescribed any Medicine _____

6. I understand what to do if I have any more problems.

1 2 3 4 5

7. I was treated with respect during check-in.

1 2 3 4 5

8. I was treated with respect in the ER.

1 2 3 4 5

9. The ER Staff kept me informed about the progress
of my evaluation while I was in the ER.

1 2 3 4 5

10. I was satisfied with the care I received in the Emergency Room today.

1 2 3 4 5

Comments: _____

Patient Wellbeing Survey

- 1. Measure Category:** Attitude and Opinion
- 2. Type of Measure:** Survey
- 3. Status of Development:** Field-testing underway
- 4. Data Elements:** Fixed
- 5. Data Fields:** Form
- 6. Comment:** Two questions will be asked at triage and discharge. Written and oral methods of presentation of the questions are being pilot-test at four hospitals.

Patient wellbeing Survey

BEFORE TREATMENT

1. Wellness - How sick are you feeling on a scale of 1 - 10, with 1 being not very sick and 10 being very sick.

1	2	3	4	5	6	7	8	9	10
Not Very Sick									Very Sick

2. Pain - How bad is your pain on a scale of 1 - 10, with 1 being no pain and 10 being severe pain.

1	2	3	4	5	6	7	8	9	10
Not much Pain									Severe Pain

AFTER TREATMENT

1. Wellness - How sick are you feeling on a scale of 1 - 10, with 1 being not very sick and 10 being very sick.

1	2	3	4	5	6	7	8	9	10
Not Very Sick									Very Sick

2. Pain - How bad is your pain on a scale of 1 - 10, with 1 being not much pain and 10 being severe pain.

1	2	3	4	5	6	7	8	9	10
Not much Pain									Severe Pain

PATIENT WELLBEING SURVEY

Data Specifications

Data Item Descriptor	Definition and Specification	Notes
Patient Wellbeing Survey	<ul style="list-style-type: none"> Two outcome-oriented bipolar rating questions. Each question (posed verbally) will assess for a difference pre and post treatment. The respondent may be asked either question #1, question #2, or both #1 and #2. The survey asks the respondent to rate: <ol style="list-style-type: none"> how sick they are how severe their pain is 	<ul style="list-style-type: none"> The respondent is the patient. The triage nurse determines, based on the patient's chief complaint, which questions (#1, #2, or both) apply. With this tool a patient may be sick but not in pain or a patient may be in pain from an isolated injury but overall not sick. Additionally, a third scenario exists where both questions would apply to a patient who (for example) presents with fever and abdominal pain.
Data Components:	Judgement is indicated on a 10 point scale. The scale value is circled to record the respondent's judgment of overall sickness or pain.	
Data Collection Instrument	Field-testing underway	
Sampling Scheme	<ul style="list-style-type: none"> All patients in which the triage nurse (based on their assessment) anticipates treatment and discharged from the urgent area of care. The respondents (patients) will be surveyed verbally pre and post treatment: <ol style="list-style-type: none"> at triage and prior to discharge. Walk-In pts. excluded from RIH data collection. Walk-In data has not been used in any of RIH measurement development and sampling schemes. 	The questions assess for relevant information. The ability to provide a response will carry the potential to ultimately ↑ nurturing, ↑ satisfaction, and ↑ the opportunity for the team to support pt. with information relating to their state of wellbeing.

Behaviorally Anchored Rating Scales

1. **Measure Category:** Team Behavior
2. **Type of Measure:** Observational
3. **Status of Development:** Under development
4. **Data Elements:** Fixed
5. **Data Fields:** Form
6. **Comment:** Rating categories have been determined. Developmental efforts surround the (a) length of time that the observer needs to observe a team, (b) which teams to observe, and (c) the categories of patient acuity or chief complaint to select for observing team behavior.

The narrative description of the rating scales appears in Appendix A.

Team Dimensions Rating Form

Use the instructions in the MedTeams Resource Guide to Complete this form

Team: _____ Shift: _____ Date: _____

No	Team Dimension	Descriptors	Rating
1	Team Structure and Climate	Establish leader, form team, delegate team role, establish expectations, demonstrate respect, issue challenge, explore alternatives, use constructive exchanges, accept resolution	
2	Apply Problem Solving Strategies	Engage members in planning, identify protocol or develop plan, engage team in decision making, alert team to potential biases and errors, report slips, lapses, and mistakes to team, use advocacy and assertion, apply 2 challenge rule	
3	Support Team with Information	Employ common terminology, call out requests for info, use check backs to verify info, systematically handoff responsibilities during transitions, offer info to support decisions, communicate decisions to team members, offer information to support planning, communicate plans to team members, seek information for decision making, seek info for planning	
4	Execute Plans and Manage Workload	Execute protocol or plan, resolve deviations from protocol or plan, integrate individual assessments of patient needs, replan patient care in response to overall caseload, prioritize patient tasks, prioritize all tasks for all team's patients, balance workload within team, request help for task overload, offer help for task overload, use periods of low workload, cross monitor actions, redirect team focus back to team and clinical tasks, request SA updates, provide SA updates, monitor execution of protocol or plan	
5	Improve Team Skills	Provide situation-specific teaching, explain previous actions unexplained due to urgency, engage in team review	
Evaluator: _____			
<p>Notes: Consult the behaviorally anchored rating scales for details. Enter a summary rating (1, 2 ... 7) in the rating block for each Team Dimension. Refer to the rating scale below.</p>			
Rating Scale			
Very Poor 1	Poor 2	Marginal 3	Acceptable 4
			Good 5
			Very Good 6
			Superior 7

Observed Error Record

1. **Measure Category:** Team Behavior
2. **Type of Measure:** Observational
3. **Status of Development:** Under development
4. **Data Elements:** Fixed
5. **Data Fields:** Form
6. **Comment:** This instrument will be available to record any team errors that data collectors may observe while collecting other data, such as BARS assessments, in the ED.

Observed Error Record for BARS Assessment

1. Did you observe any errors? ☐ Yes ☐ No
2. If you answered Yes to the Question 1, provide a brief one or two sentence description of what you observed.
3. Did you intervene? ☐ Yes ☐ No
4. If you answered Yes to Question #3, what actions did you take?
5. In your opinion, would teamwork have eliminated the error or reduced it?
 ☐ Yes ☐ No
6. If you answered Yes to Question 4, which BARS behaviors would have been employed to eliminate or reduce the error?

Subjective Workload and Stress Scales

- 1. Measure Category:** Team Behavior
- 2. Type of Measure:** Survey
- 3. Status of Development:** Completed
- 4. Data Elements:** Fixed
- 5. Data Fields:**
Form A. Six scale NASA Task Load Index
Form B. Overall Workload and Stress Scale
- 6. Comment:**

Subjective Workload Assessment (Form A)

Time _____

Location _____

Position _____

*Rate your workload in providing care to this patient by completing the following six scales.
Place an X on the vertical line of each scale*



Mental Demand

How mentally demanding was the care you provided?




Very Low

Very High

Physical Demand

How physically demanding was the care you provided?




Very Low

Very High

Time Demand

How hurried or rushed was the care you provided?




Very Low

Very High

Performance

How successful were you in accomplishing the care you provided?




Failure

Perfect

Effort

How hard did you have to work to provide the patient's care?



Very Low

Very High

Frustration

How insecure, discouraged, irritated and annoyed were you in providing the patient's care?



Very Low

Very High

Subjective Workload and Stress Assessment (Form B)

For this point in your shift, rate your workload and level of stress using the scales below.

Overall Workload

Overall Workload: Rate your overall workload for all the patients and the responsibilities you have at this moment. Place an X on one of the vertical lines of the scale.



Stress Scale

Circle **one** word that best describes how you feel right now.

Wonderful

Fine

Comfortable

Not bothered

Steady

Unsteady

Worried

Uncomfortable

Overwhelmed

Melt down

Form B. Overall Workload (OW)

Data Specifications

Data Item Descriptor	Definition and Specifications	Notes
Form B. Overall Workload (OW)	A Bipolar Rating question: asks the respondent to judge their workload along an ordered dimension. Bipolar ends specify opposite extremes of the workload continuum. The number of gradations correlate with odd numbers to allow for neutral point.	
Sampling Scheme	<ul style="list-style-type: none"> • Collect from each RN, Dr., and technician on duty. • Triage, Trauma, WI, and OU gathered and labeled to indicate gathering site. 	<ul style="list-style-type: none"> • Attempts made to account for all data points. Respondents absent-on-duty for breaks and meals. • Distinguishing individual gathering sites provides PI with the ability to determine impact of site specific data.
Collection	<ul style="list-style-type: none"> • Administered with Stress Scale • OW & SS time to administer and scored. • Resources Needed - administered by research assistant. • Measure <ul style="list-style-type: none"> -produced by research team. -scored by research assistant. -date entered by research assistant. -analyzed by PI. • Time Estimation: <ul style="list-style-type: none"> -10 seconds per respondent. -20 respondents/15 minutes. 	

FORM B: STRESS SCALE (SS)

Data Specifications

Data Item Descriptor	Definition and Specifications	Notes
Form B: Stress Scale	<ul style="list-style-type: none">• Measure is cafeteria style question: asks respondents to “select a response that most closely corresponds to their perspective”.• Composite Scale: assigned numerical values, placed on a continuum with respect to attributes being measured.• Quantitatively discriminates between respondents with differing perspectives.	
Sampling Scheme	<ul style="list-style-type: none">• Collect from each RN, Dr., and technician on duty.• Triage, Trauma, WI and OU gathered and labeled to indicate gathering site.	<ul style="list-style-type: none">• Attempts made to account for all data points. Respondent “absent - on-duty” for breaks and meals.• Distinguishing individual gathering sites provides PI with the ability to determine impact of site specific data.
Collection	<ul style="list-style-type: none">• Resources Needed - administered by research assistant.• Measure<ul style="list-style-type: none">-produced by research team.-scored by research assistant.-data entered by research assistant.-analyzed by PI.• Time Estimation - 10 seconds per respondent	

Teamwork Nursing Assessment

- 1. Measure Category:** Team Behavior
- 2. Type of Measure:** Survey
- 3. Status of Development:** Completed
- 4. Data Elements:** Fixed
- 5. Data Fields:** Form
- 6. Comment:**

TEAMWORK NURSING ASSESSMENT

(TNA)

Record the time delay between the point you believed the patient would be admitted and when the ED physician communicated the admit decision to you.

Date _____ Communication Delay: _____ hrs. _____ min.
(If no delay, enter 0)

Did the delay in communication cause a delay in the patient's admission? ☐ Y ☐ N

TEAMWORK NURSING ASSESSMENT

Data Specifications

Data Item Descriptor	Definition and Specifications	Note
Teamwork Nursing Assessment (TNA)	Objective Communication Measure: Asks two questions: 1. Is there a communication issue; and if so 2. Does that issue impact operations.	Assesses for TD3, Communicate with Team, of the ETCC™ Team Dimensions
Sampling Scheme	Collect for all patients admitted where a difference exists between time points of RN to Dr. communication.	Monitoring admissions and prompting of professionals is essential initially to assure reliable outcomes.
Collection	<ul style="list-style-type: none"> Resources: respondent self administers. Measure: <ul style="list-style-type: none"> -produced by research team. -scored by research assistant. -analyzed by PI. Time Estimation: Dependent on number of patient admissions. 10 minutes per each 10 nurses (example 80 minutes per 10 nurses for an eight hour shift). 	<ul style="list-style-type: none"> Hypothesis: As self prompting to record each admission event increases the aggregate data collection time will decrease.

Pedometer Studies

- 1. Measure Category:** Team Behavior
- 2. Type of Measure:** Observational
- 3. Status of Development:** Under development
- 4. Data Elements:** Fixed
- 5. Data Fields:** Form
- 6. Comment:**

ETCC™ Course Evaluation

1. **Measure Category:** Team Behavior
2. **Type of Measure:** Program Evaluation
3. **Status of Development:** Completed
4. **Data Elements:** Fixed
5. **Data Fields:** Form
6. **Comment:**

Emergency Team Coordination Course

Course Evaluation

Name: _____ (optional) Date: _____

A. Listed below are the program objectives. Please rate the extent to which you are now able to:

	Low				High
1. Identify the benefits and key elements of teams.	1	2	3	4	5
2. Describe team structure and climate as it relates to the emergency environment	1	2	3	4	5
3. Describe several problem-solving strategies that can be applied in the emergency environment.	1	2	3	4	5
4. Discuss ways to execute plans and manage workload in the emergency environment.	1	2	3	4	5
5. Describe how to support the emergency department team(s) with information and actions.	1	2	3	4	5
6. Identify methods to improve team skills	1	2	3	4	5
7. Discuss the clinical integration of team coordination in the emergency environment.	1	2	3	4	5
8. Employ a variety of team coordination skills in the emergency environment.	1	2	3	4	5

B. Content:

Related to Objectives	1	2	3	4	5
Well Organized	1	2	3	4	5

C. Teaching Strategies:

Effective Teaching Methods	1	2	3	4	5
----------------------------	---	---	---	---	---

For the following ratings, 1 = poor and 5 = excellent

D. Faculty

	Instructor A	Instructor B	Instructor C
Presentation Style	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Knowledge of Subject	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5

E. Physical Facilities 1 2 3 4 5

F. How will you use the information you received today to improve your practice?

H. Comments:

Emergency Team Coordination Course

Course Evaluation (continued)

I. Other Ratings

- | | | | | | |
|--|--------------------|---|---|---|------------------|
| 1. Time available for the instructor to adequately present and discuss each team dimension topic. | Not enough
time | | | | Too much
time |
| | 1 | 2 | 3 | 4 | 5 |
| 2. Pace of instruction | Too slow | | | | Too fast |
| | 1 | 2 | 3 | 4 | 5 |
| 3. Vignettes presented realistic problems | Unrealistic | | | | Realistic |
| | 1 | 2 | 3 | 4 | 5 |
| 4. Vignettes helped me to understand how to apply the team dimensions. | Not Helpful | | | | Helpful |
| | 1 | 2 | 3 | 4 | 5 |
| 5. Team coordination techniques I learned today will become an integral part of my daily ED activities | Disagree | | | | Agree |
| | 1 | 2 | 3 | 4 | 5 |
| 6. After attending this training, rate the usefulness of this course. | Of slight use | | | | Very useful |
| | 1 | 2 | 3 | 4 | 5 |
| 7. Rate the format of the student workbook | Poor | | | | Excellent |
| | 1 | 2 | 3 | 4 | 5 |

Resource Requirements for Data Collection

This section contains information on the resources required for data collection. As instruments were administered at RIH, a journal was kept of the time required to present an instrument to respondents, the time required for the respondent to complete the instrument, and the time required to score the instrument or record its data elements. These basic data form the basis for making estimates for the amount of time necessary to collect and record data during the actual implementation of the measurement suite.

Table 3 provides a listing of four factors associated with data collection. The factor What refers to the target of data collection such as the individual patient or the ED as a whole. The factor Who lists the person or functional entity most likely to collect the data. The third factor, When, is how frequently the data are collected. The final factor, How, lists the various forms in which the data are reported or available for use.

Two important findings emerge from the data in Table 3. The first is that a considerable amount of data of interest to the validation effort is probably collected by automated systems. These data can be entered into the data base through electronic means. The second is that most of the instruments developed for the validation can be administered by a research assistant trained in their administration and scoring. The expertise of a physician or nurse is required only for (1) observing and recording team behavior using the Behaviorally Anchored Rating Scales and (2) for recording clinical or procedural errors using the Observed Error Record.

In order to develop an estimate of the manhours required to collect a month's worth of data at a typical validation site, a scenario was created that integrates information gathered on the length of time needed to collect data with information provided in Table 3. The assumptions of the data collection scenario are the following

- A research site will employ a research assistant for data collection
- The site does not have automated support for length of stay data. The research assistant will review 50 medical records a day for 30 days to obtain length of stay data and other timed data.
- A physician or nurse will observe teams and provide behaviorally anchored rating scale data
- The research assistant has personal computer support for transferring data to a data base.

Tables 4 and 5 show the manhour estimates for collecting, recording, and entering data into a data base assuming a frequency of survey instrument administration at the moderate level. Table 5

Table 3. Factors Associated with Collecting Measurement Suite Data.

		Collection Factors				Actions		
Measure or Instrument		What	Who	When	How			
Performance								
Overall LOS		IP	A, RA	D	A, MRR			
Throughput Time Measures		IP	A, RA	D	A, MRR			
Subclassifications of LOS (admit/disch, teams, traumas, billing codes, ED sections)		IP	A, RA	D	A, MRR			
Timed Procedures or Events								
TPA-Stroke		IP	RA	IE	MRR			
Chest Pain Evaluation		IP	RA	IE	MRR			
Time to Treatment (charcoal, antibiotics for meningitis or septic children, asthma)		IP	RA	IE	MRR	Time to see MD perhaps best measure		
Quality Indicators						RA transfers data to database		
AMA		ED	QAO	M	QAR			
LWBS		ED	QAO	M	QAR			
Left Before Treatment Completed		ED	QAO	M	QAR			
Mislabeled labs		ED	QAO	M	QAR			
Mislabeled Bloods		ED	QAO	M	QAR			
Blood culture contamination rate		ED	QAO	M	QAR			
Medication errors		ED	QAO	M	QAR			
Incident Reports		ED	QAO	M	QAR			
Patient Complaints		ED	QAO	M	QAR			
Pt Compliments		ED	QAO	M	QAR			
Returns within 48 or 72 hrs		ED	QAO	M	QAR			
Treatment Delays - Consults		ED	QAO	M	QAR			
Treatment Delays - Charts		ED	QAO	M	QAR			
Falls		ED	QAO	M	QAR			
Other Indicators		ED	QAO	M	QAR			
Administrative								
Sick Leave		ED	HAO	M	AR			
Tardiness		ED	HAO	M	AR			
Unexcused Absences		ED	HAO	M	AR			
Staff Turnover		ED	HAO	M	AR	Nurses, techs, physicians		
Trauma Registry (Subset used for initial analyses)								
Arrival date at ED		IP	RA	W	AR			
Arrival time in ED		IP	RA	W	AR			
Discharge time from ED		IP	RA	W	AR			
Glasgow scale on ED arrival		IP	RA	W	AR			
Revised Trauma Score on ED arriv		IP	RA	W	AR			
ED disposition		IP	RA	W	AR			
Days in the ICU		IP	RA	W	AR			
Days in the hospital		IP	RA	W	AR			
GCS < 13, no CT		IP	RA	W	AR			
Cerv spine fracture missed		IP	RA	W	AR			

Table 3. Factors Associated with Collecting Measurement Suite Data (continued).

Attitudes and Opinion								
Maslach Burnout Survey	IS	RA	SE	DRCF	Twice before, then post?			
Staff Attitudes	IS	RA	SE	DRCF				
Patient Satisfaction	IP	RA	SE	LF, TS	Review and adapt local instruments for teamwork items or wellness questions			
Admission Evaluation Survey	IP	RA	AAP	DRCF	Review and revise for local use			
Patient Wellbeing Survey	IP	RA	AP	DRCF	Survey most likely to be dischg'd			
Team Behavior								
Behaviorally Anchored Rating Scal	IT	SME	SE	DRCF				
Teamwork Nursing Assessment	IP	RA	SE	DRCF				
Subjective Workload (full TLX and OWL)	IS	RA	SE	DRCF				
Stress Scale	IS	RA	SE	DRCF				
Pedometer studies	IS	RA	SE	DRCF				
Program Evaluation								
ETCC Course Critique	IS	RA	SE	DRCF				
Dept Demographics								
Number of visits	ED	RA	D	AR				
Number of admissions to inpatient units	ED	RA	D	AR				
Census per day	ED	RA	D	AR				
Net revenue per visit	ED	RA	M	AR				
Total expense per visit	ED	RA	M	AR				
Total cost per visit	ED	RA	M	AR	Material cost only			
bbreviation Codes								
What: ED = emergency department IP = individual patient IS = individual staff member IT = individual team								
Who: A = automated system HA = hosptial administration QAO = quality assurance office SME = subject matter expert RA = research assistant								
When: AP = all patients AAP = all admitted patients D = daily IE = individual event M = monthly SE = scheduled event (specific schedule) W = weekly								
How: A = automation AR = administrative report DRCF = Dynamics Research Corp form LF = local form MRR = medical record review QAR = quality assurance report TS = telephone survey								

Table 4. Scenario Example: Time Estimate for Research Assistant to Gather Data

Measurement Activity	Subareas	Time Estimate (Hours)
Scheduled time in ED to collect data	3 hours per day for 30 days	90.0
ED Performance Collection	Quality Assurance Admin/Personnel Other Operations Data Length of Stay and Other Intermediate Times (see data entry) Timed Procedures (see data entry)	10.0
Attitudes, Opinion, and Team Behavior Collection	Admission Eval Survey (250 x .25 min) Maslach (100 x 2 min) Subjective Workload (100 x 1 min) Staff Attitudes (100 x 2 min) TNA (100 x .10 min) Pedometer Readings (50 x 5 min) Patient Wellbeing (300 x 1 min) Patient Satisfaction (see data entry)	1.0 3.3 1.7 3.3 0.2 4.2 5.0 <hr/> 18.7
GRAND TOTAL		118.7

Table 5. Scenario Example: Time Estimate for Research Assistant to Score and Enter Data

Measurement Area	Subareas	Time Estimate (Hours)
ED Performance	Quality Assurance	4.0
	Admin/Personnel	1.0
	Other Operations Data	4.0
	Length of Stay and Other Intermediate Times (30 days x 50 MR/day x 2 min/MR)	50.0
	Timed Procedures (30 forms x 2min/form)	1.0
		60.0
Attitudes, Opinion, and Team Behavior	Admission Eval Survey (250 x 1 min)	4.2
	Maslach (100 x 3 min)	5.0
	Subjective Workload (100 x .10 min)	1.3
	Staff Attitudes (100 x 3 min)	5.0
	TNA (100 x .10 min)	0.2
	Pedometer Readings (50 x .10 min)	0.1
	Patient Wellbeing (300 x .40min)	2.0
	Patient Satisfaction (250 x 1.5 min)	6.3
		24.1
GRAND TOTAL		84.1

Table 6. Scenario Example: Total Times for Data Collection, Scoring, and Entry

Researcher	Data Activity	Time Estimate
Physician or Nurse	Behaviorally Anchored Rating Scales:	
	30 1.0 hour observations 20 0.5 hour observations	40 hrs
Research Assistant	ED Performance, Attitudes and Opinion, Other Team Behavior	203 hrs
TOTAL		243 hrs (30 days)

summarizes the manhours required for the physician or nurse and research assistant data collection team. This scenario indicates that a full-time research assistant will be required at the typical site to collect data for the full validation suite of instruments. The physician or nurse will be required to complete 40 hours of data collection during the same period. Note that automated support for collecting length of stay data will reduce the data collection effort by 50 hours. Other automated data sources could reduce this “worse case” scenario manhour estimate further.

APPENDIX

Behaviorally Anchored Rating Scales

Emergency Medical Team Dimension 1: Maintain team structure and climate

Overview

This rating assesses the quality of professional relationships among physicians, nurses, and other personnel comprising the emergency care team, and the overall interpersonal climate of the emergency department. Team members acknowledge the essential team objective--provide the highest standard of patient-centered care. The team's goals are both patient-centered and task-centered with the focus on achieving both goals rather than who specifically accomplishes them.

The team leader in emergency medicine is the attending physician who has final authority in clinical matters. The senior attending physician sets the tone of the team and maintains a cooperative working environment by sharing or delegating authority and promoting the participation of all team members.

This rating also concerns the importance of the timely dissemination of information essential to team formation and coordination. Team formation consists of learning who is serving on the team and knowing each team member's responsibilities, becoming aware of the clinical status of the team's patients, and knowing the operational issues in the emergency department and elsewhere affecting overall operations. All team members communicate essential information through face to face contact or other means.

Because emergency care is a team effort, each member recognizes his or her own special skills, and acknowledges and appreciates the skills of other team members. Team members understand their interdependence and demonstrate a willingness to assume responsibility, act autonomously, and offer assistance to other team members. Team members assist each another in achieving the highest technical competence and advocating respect for patients and coworkers. While the physician has clear lines of clinical authority and responsibility, team leadership is flexible since situations may require any team member to assume situational leadership. Decisions are supported by the team even when there may not be complete agreement.

Superior Rating (7)

Each team member assumes responsibility for becoming aware of relevant clinical and operational issues. The attending physician and a nursing team member ensure that actions, duties, and task responsibilities are partitioned and clearly assigned to specific individuals. Questions and discussion about tasks and specific responsibilities are encouraged.

The team members have very good interpersonal relationships. They respect others' skills and appear to enjoy being with each other. There is a genuine concern for good working relationships. Team members go beyond common workplace courtesies to express appreciation of other member's contributions and to reinforce good teamwork. No degrading comments or negative voice tones are used in interactions. The climate is very open; team members freely talk and ask questions. Team members encourage the individual with the most information about the situation-at-hand to participate. Disagreements are perceived as a normal part of team interactions, and the team directly confronts the issues over which the disagreement began. Arguments or disagreements focus on the specific situation behavior or solution rather than on personalities. Each team member carefully listens to others' comments. Senior team members accept challenges from junior team members. Alternative solutions are explored. The solution produced is a "win-win" situation in which all team members' opinions are considered. The team members have no hard feelings at the conclusion of the incident. Offers of assistance are freely given and appreciatively acknowledged. Each team member demonstrates patient-centered care attitudes. Team members monitor the attitudes of other team members and offer positive and negative feedback.

Acceptable Rating (4)

A brief description of the current emergency department status is provided to some or all members of the team. The attending physician and nursing team members ensure that task responsibilities are partitioned and assigned to specific individuals. Routine assignments are adequately covered, but contingencies for special situations are not carefully planned. One or more team members seek necessary information during the course of organizing the team, but some team members remain less well informed than others.

The team members have sound interpersonal relationships and seem to respect one another's skills. However, staff members interact on clinical and operational issues in a business-like manner and engage in only limited socially-oriented interchanges. Although team members are courteous, the tone of interactions is formal and businesslike. The climate is an open one, and team members are free to talk and ask task-oriented questions. Regardless of rank, duty position, or professional status, individuals with information about the situation-at-hand are allowed to participate. When disagreements arise, the team directly confronts the issues over which the disagreements began. The primary focus is on behavior or solutions, and no personal attacks are made in the heat of discussion. The solution is generally seen as reasonable. Problem resolution ends on a positive note with very little hostility or grumbling among team members. Mutual respect is clearly intact. Team members generally remain focused on their assigned tasks, but assistance is offered as conditions allow. Obvious disregard of patient-centered attitudes is not apparent. Team members correct instances of improper patient-centered attitudes.

Very Poor Rating (1)

A team member provides some or all team members with essential work-related information with little or no attendant explanation. There is little or no discussion of responsibilities or their assignments to specific team members. Team members tend not to ask questions about the operations for their shift. If asked, questions tend to be cut off, only briefly addressed, or ignored by the other team members.

Team interactions are often awkward and uncomfortable. The team members do not appear to like or respect each other. Team members may be curt and impolite to each other. Requests for assistance are made as commands rather than as requests for support. When disagreements arise, the team fails to directly confront the issues. Personal attacks may arise. Senior team members are resistant to recommendations from junior team members. Team members do not explore the range of possible solutions. They may shout or argue without finding a solution. One or more team members may retreat and say nothing at all. A "win-lose" situation develops in which one team member is shown to be right and the other to be wrong. The team members show little respect to one another except for deferring to formal rank or professional status. Assistance may be withheld or provided only in cases of extreme need. Team members exhibit attitudes that may jeopardize patient welfare.

Emergency Medical Team Dimension 2: Apply Problem-solving Strategies

Overview

This rating evaluates the team's ability to apply established algorithms, protocols, and other preplanned actions, and to demonstrate flexibility in modifying these or planning for emergent situations. The quality of the team's engagement in the decision-making and planning processes is assessed. The openness to contributions of information or ideas from team members is evaluated.

The team engages in planning activities required for unusual situations in patient care, and carries out established routines and practices for anticipated clinical and administrative situations in the emergency department. Planning for unusual situations involves collecting essential information, identifying potential problems and courses of action, assessing risks, and determining required tasks and assigning specific responsibilities to each team member. Planning also may include mental rehearsal or practice of the anticipated course of action. Team members also implement department-wide plans, protocols, and algorithms covering routine operational and clinical situations.

Although the physician or situational leader is responsible for leading planning activities, this rating evaluates the extent and manner in which the entire team participates. Also, the time constraints on the team is considered. If there was insufficient time to conduct comprehensive planning and rehearsal, the team is assessed on its planning and rehearsal of the most critical segments of a significant situation. That is, either before the situation or while it was unfolding, did the team address the most important issues given the time available? Note: The relationship among team members should be observed during this period but the team climate evaluation should be made on rating Emergency Medical Team Dimension 1, Maintain Team Structure and Climate.

Factors to consider in making an evaluation of decision-making include (a) information available to the team members, (b) time urgency of the decision, and (c) level of involvement and information exchange among the team members. The time-critical demands of emergency medicine require many decisions to be made on an event-driven basis with only a minimum level of information exchange. However, when adequate time and information are available, team members are expected to engage in a more deliberate and interactive style of decision making. The evaluation of team decision making performance should ask the following questions:

1. Did the team use all of the available information?
2. Was the type of decision process (event-driven versus analytical) appropriate for the time available?

3. Was the level of information exchange among team members appropriate and sufficient for the decision process used?

The actions of team members in establishing and maintaining an error-free environment is included in this assessment. Team members understand that judgemental biases impede effective decision-making, and that slips, lapses and mistakes are naturally-occurring events instrumental to substandard care. Failures of team members to correct specific instances of biased decision making or errors are assessed in this team dimension. That is, the absence of error-correcting behavior when one or more team members is aware, or should be aware, of erroneous behavior is assessed in this team dimension. The team's proactive use of emergency department error-avoidance systems and procedural safeguards is also assessed. However, the use of situation-specific team actions to intervene to correct an error, such as cross-monitoring or maintaining situational awareness, is assessed under the appropriate team dimensions.

Finally, this rating evaluates the extent to which team members advocate a course of action they consider best, even when it may differ with the one being followed or proposed. Note: Except under extreme conditions where time is absolutely critical, it is usually in the team's best interest to hear the full range of viewpoints available. Invoking the Two-Challenge Rule is an action assessed in this team dimension.

Superior Rating (7)

The team acquires new and updated information and uses it to develop or modify the plan of action. All actions, duties, and task responsibilities of the plan are partitioned and clearly assigned to specific individuals. Questions and discussion about the situation and specific responsibilities are encouraged. Potential problems are noted and discussed. Courses of action and individual responsibilities are established in the event that potential problems actually occur. The physician or situational leader leads the team in mentally rehearsing or practicing the plan by visualizing and talking the team through potential problems and contingencies. Team members acknowledge understanding their assigned responsibilities and cues for action.

Team decision-making consistently reflects proper attention to available information. The level of team participation and deliberate analysis of options is appropriate for the decision time available. Resulting decisions are timely and appropriate given the time urgency and level of information available in each situation. Team members effectively use existing error-avoidance systems and procedures, and anticipate or actively correct emergent error situations. Team members appear motivated to seek the most effective, unbiased, and safe decision in each situation. The team decides and implements a course of action before the situation jeopardizes team performance or patient welfare.

Team members state to the rest of the team a course of action that they consider best. They clearly explain their reasons for believing this to be the best course. Other team members listen to the argument before presenting any criticism or proposing alternate courses. Discussions focus on the strengths and weaknesses of the proposed course of action, not on the professional status or personality of the team member who proposed the action. Other team members expect such open comments and view them as positive contributions to team performance. The two-challenge rule is an accepted method for avoiding serious actions by any team member.

Acceptable Rating (4)

A brief description of the situation is provided to the entire team. Responsibilities are partitioned and assigned to specific individuals. Actions are taken to update current information that adds to the situation briefing and helps develop the plan. One or more team members make comments during the course of developing the plan. Potential problems are only briefly discussed. There is adequate preparation for contingencies. Team members briefly discuss the operational risks in the plan. Mental rehearsal or practice is initiated by the physician or another team member who talks through potential problems or contingencies for one or more aspects of the intended action. Some discussion takes place to clarify responsibilities in the event of unexpected problems or contingencies.

Team decisions sometimes reflect a reluctance to share or use available information. Occasionally, team members dwell too long on some issues while neglecting more time urgent requirements. Most decisions are timely, but on occasion are not well resolved or understood by the team. Most decisions are appropriate for the situation with the team occasionally overlooking one or more factors or options. Occasionally, team members do not recognize or exploit opportunities for additional planning or rehearsal, substituting *ad hoc* strategies or plans. Team members avoid errors by using systems, procedures, and team actions. Decision biases are avoided. The situation may worsen slightly without seriously degrading patient treatment before the team decides and implements a course of action.

Team members state their support for a course of action or suggest improvements to other proposed actions. Each team member makes an effort to explain his or her position and convince others to concur on the course of action to be taken. Other team members may counter with their views and alternatives. Team members usually speak out when they recognize a risky departure from standard procedures or when they have a piece of information that is important to another's task execution. Other team members view such comments as constructive and not as a challenge to authority. The two-challenge rule is a formal policy reserved for only the most serious cases of impaired capacity for team members.

Very Poor Rating (1)

The physician briefs the situation with little or no attendant explanation. There is little or no discussion of specific team member responsibilities. Team members tend not to ask questions about the situation. If asked, questions tend to be cut off, only briefly addressed, or ignored by the other team members. Little or no mention is given to potential problems or complications. No team member says anything about operational risks or weaknesses in the plan. Any suggestion to talk through a potential problem or rehearse responsibilities is rejected as unnecessary. Interactions are abrupt and impersonal.

Planning reflects an inflexible style of decision making (either event-driven or analytical) despite time urgency. Team members may engage in excessive deliberation, overlook the relative urgency of competing decision requirements, or act impulsively. As a result, decisions frequently lack timeliness, ignore important factors, or appear out of context. Information exchange and team member interaction is minimal, so that critical input is ignored or not sought. Serious errors may be captured before they have serious consequences, but error-avoidance for less serious errors is not adequate. Decision biases may not be challenged. The team may be unable to decide or implement a course of action before a situation becomes critical.

Except for the team leader, team members almost never suggest a course of action. Team members attempting to propose a course of action may be cut off before they can propose the action or explain the rationale for that action. Team members proposing courses of action may receive personal attacks. Team members may even fail to intervene when risks such as incorrect procedures or using faulty equipment arise. The two-challenge rule is not invoked by team members.

Emergency Medicine Team Dimension 3: Communicate with the Team

Overview

This rating covers the assessment of the quality of information exchange within the team and the degree of reciprocity among team members in giving and receiving information and assistance. The rating also includes an evaluation of the team's adequacy in obtaining information from patients and providing information to patients.

Completeness, timeliness, and quality of information transfer. Consider both oral and written communications. Rate the information value and clarity of team member communication in terms of its timeliness, completeness, and avoidance of ambiguity (e.g., the use of standard terminology). Include in the evaluation the use of call-outs, check backs, feedback, and acknowledgments to verify information transfer and hand-offs to ensure coordination of patient care. Evaluate the quality of instructions and statements associated with a patient's evaluation and emerging treatment plan. Also, take into consideration information exchange with patients. Patient-oriented examples include obtaining essential history and symptom information, updating patients on the status of their diagnosis and treatment, and providing discharge instructions.

Supporting information and actions sought from the team. Rate the extent to which team members, particularly the physician or situational leader, seek supporting information and actions from the team. Evaluate the degree to which team members raise questions regarding plans, revisions to plans, actions to be taken, and the status of key information. Note: The extent to which team members contribute to decision making should be observed here but evaluated under Emergency Medicine Team Dimension 2: Apply Problem Solving Strategies.

Supporting information and actions offered by the team. Rate the extent to which team members anticipate and offer both supporting information and actions. Supporting information is offered by team members to the decision maker or situational leader evaluating a situation or preparing to make a decision. Team members' initiatives and responsiveness to help others perform their tasks are also evaluated.

Decisions and actions communicated and acknowledged. Rate the extent to which a course of action is announced to the team members after decision-making input is solicited from them. Team members should respond verbally or with appropriate adjustment to their behavior and actions to clearly show that they understand when a decision has been made and what it is. Failure to announce a decision may confuse team members and lead to uncoordinated operation. Note: Due to time constraints in

certain situations, there is often little or no time for teams to make inputs to a decision. In such cases, raters should focus on the extent to which decisions are announced and acknowledged verbally or through coordinated, pre-planned action.

Superior Rating (7)

Team members communicate with each other and their patients frequently. Both senders and receivers use standard terminology and unambiguous language for all communications. Senders provide clear, concise information. Receivers acknowledge nearly all messages in sufficient detail so that the sender can verify that the receiver understands the message. Receivers freely ask questions to clarify their understanding. Senders pursue feedback when no response is forthcoming. Senders and receivers integrate check-backs and call-outs into clinical situations. Whenever a workload change or task responsibility transfer (hand-off) occurs, the change is communicated and acknowledged by the team. In the case of communicating with patients, team members offer frequent updates in language the patient can understand. Patients' questions are answered as completely and thoroughly as possible. Discharge instructions are carefully explained and supplemented with written instructions.

When the physician is formulating a diagnosis or a situational leader is making a decision, he or she alerts the primary care team and seeks suggestions on possible solutions and important information to consider. The physician or situational leader is open to all suggestions. Team members respond to these inquiries with sound, task-focused discussions and clear answers provided in a timely manner. Team members raise questions on diagnoses and treatment plans or changes to plans and actions. Nearly all these inquiries surface information that contributes to the decision making process. The physician or situational leader states decisions and intended actions and, time permitting, explains the reasons and intent. Team members acknowledge the decisions with a clear verbal response and ask questions to clarify any confusion. The leader answers all questions in a positive, straightforward manner.

Team members are particularly attentive to communicating workload changes and information essential for maintaining situational awareness. All team members seek assistance and information from others in performing their tasks. Similarly, all team members anticipate the task needs of other team members and offer relevant information and assistance. Offers of assistance cover the range from highly skilled to mundane tasks. Team members keep one another informed of the results of their activities and changing task responsibilities.

Acceptable Rating (4)

Team members communicate about individual patients and general operational issues as required. Standard terminology and unambiguous language are usually used. Receivers acknowledge most messages. Receivers generally ask questions for clarification. Senders usually pursue feedback when no response is forthcoming. Team members are appraised of changes to significant factors and task responsibilities during clinical events. Duties are specified and communicated to others. Patients' questions are answered in understandable language and updates are offered intermittently. Discharge instructions are brief and to the point and supplemented with written instructions.

The physician reviews available patient clinical data and asks team members for essential information to arrive at a diagnosis, make decisions, and formulate a plan of action. Time permitting, the physician offers team members a brief explanation his or her diagnosis and plans. The team acknowledges its awareness of the physician's decisions and directions. Team members may ask questions to clarify confusion. The physician or situational leader answers questions clearly and quickly. In situations of less well-defined diagnostic or problem resolution certainty, the physician or situational leader alerts the team to the need for more extensive information exchange. Team members usually respond to these inquiries with brief exchanges that may provide previously uncommunicated information or insightful suggestions. The physician or situational leader listens to new information and suggestions without interruption or criticism and asks for clarification as necessary. Team members regularly use check-backs and call-outs.

Team members tend to focus their information gathering and exchange on patients within their individual spheres of responsibility. The team as a whole maintains a general awareness of the status of all patients being cared for by the team. The team may or may not be aware of the general status of operations within the emergency department. Changes to situation awareness are verbalized across the team as the workload changes. Team members sometimes seek assistance and information from others in performing their individual tasks. Similarly, all team members anticipate the task needs of others and offer relevant information and assistance as their individual workload permits. Task demands dictate the level of information exchange and reciprocity of helping behaviors. That is, urgent or emergent situations reveal heightened levels of verbal exchange and greater task interaction than nonurgent situations.

Very Poor Rating (1)

Team members may fail to make statements regarding critical information. Non-standard terminology is used or standard terminology is used inappropriately. Sender messages may be inappropriately delayed or irregular and may be confusing. Receivers usually do not verbally acknowledge the receipt of messages. Receivers do not ask questions. Senders do not pursue feedback when no response is forthcoming.

Check backs and call-outs are seldom or never used. Changes in responsibilities during an event are often not communicated and may result in confusion over who has a task responsibility. Information may be incomplete or confusing. Patients' questions are answered, but without regard to the clarity or understandability of the answers. Generally, updates are provided to patients only on request; they are not offered voluntarily. Discharge instructions are cursory and written instructions may not be reviewed.

The physician or situational leader makes decisions without seeking inputs from other team members nor alerting the team that a decision is required or is being made. Decisions and intentions of the physician or situational leader are often not passed on to the team. [Note. Decision making and planning are done by one individual with little or no discussion—an observer will have difficulty noting this quality for "very poor" teams since it is hard to detect individual decision making.] The team is often not aware that a decision has been made. As a result the team does not offer suggestions and inputs to support decision making or actions. Team members almost never raise questions about plans, actions, or changes to plans. The physician or situational leader may not acknowledge or respond to questions, or may abruptly answer them. Two physicians may attempt to simultaneously take control of a patient when control authority has not been negotiated.

Team members infrequently ask for team assistance with tasks even when they are overloaded to the point of nearly failing to properly execute them. The team generally does not offer its services to support task execution by other team members. Team members may discourage others from asking questions or seeking assistance by the tone of voice they use or by failing to respond. Team members may take uncoordinated actions without stating intentions or expected results.

Emergency Medicine Team Dimension 4: Execute Plans and Manage Workload

Overview

This rating concerns the adequacy of carrying out plans and protocols and managing changing levels of workload. The rating begins at the point where the team has chosen to carry out a routine treatment plan or protocol, or has completed planning activities required for an unusual situation in patient care. The effectiveness of carrying out the course of action for an individual patient and executing ongoing plans for all patients within the team's area of responsibility is the focus of this assessment.

One dimension of the rating is the attentiveness of the team to conducting secondary triage of its patients, and establishing new priorities for patient care. Reprioritization is necessary as the conditions of patients change or new patients arrive who require higher levels of care. This periodic reassessment may require the team to reenter the decision and planning cycles for one or more patients.

Evaluate the effectiveness of time and work management. Rate the extent to which the team as a whole avoids being distracted from essential activities, perceives transitions in workload levels, distributes workload among team members, and avoids individual team member overload. Evaluate the team's performance under unusual circumstances that may involve high levels of stress. Assess the integration of technical and managerial strategies for contending with stressful and high workload situations. The delegation of task responsibilities among team members is one such strategy that should be considered in this rating. Another strategy is the prioritization of critical and noncritical duties.

Rate the extent to which the team uses cross-monitoring as a mechanism to avoid errors and reduce risk. Team members can catch each other's errors or risky behavior. Such redundancy is particularly important when teams are fatigued, stressed, or too focused on critical tasks.

Finally, include in this rating an evaluation of maintaining situational awareness. Rate the extent to which team members keep each other informed. Information reported includes the status of patients, team member welfare, and significant operational factors within the emergency department such as equipment status and institutional conditions.

Superior Rating (7)

The team remains calm and imposes the maximum amount of control possible over the situation given the available time and internal and external resources. Each team

member immediately takes on individual workload responsibilities based on prior discussions or rehearsal. Each member handles his or her own responsibilities and seeks to support the team member with the greatest workload. Team members are aware of workload buildup on others and readjust workload by assuming emerging, unassigned tasks. Overloads do not occur.

Virtually all distractions are avoided. Each team member understands precisely what information is relevant to the situation and what information is simply a distraction. If a team member becomes mildly distracted, other team members remind him or her to focus on the task. Each team member is concerned that all tasks are properly executed and checks both his or her tasks and those of others. When mistakes are noted, the team member making the error is quickly informed in a concise manner without excessive formality. The person in error accepts this feedback as a normal part of team operations. All duties are prioritized and noncritical duties are delayed until low workload periods or termination of the event.

The team's planning horizon is proactive, that is, always "one or two steps ahead." This is evidenced through reprioritization of treatment and disposition plans for some or all of the patients within the team's area of responsibility. Replanning may occur for some patients.

Team members maintain situation awareness of the progress of their patients in the emergency department process (evaluation, treatment, and disposition) and of possible operational impediments to that progress. All changes in patient conditions and emergency department operational status are verbalized and acknowledged. Team members also maintain situational awareness of other team members' well-being (e.g., emotional or physical conditions that may affect performance). Team members volunteer information on themselves so that others may be supportive.

Acceptable Rating (4)

The team responds to problems in carrying out a treatment plan or protocol without overreacting. The physician's or situational leader's requests for information are met by feedback from the team. The team generally takes actions to reduce each other's task load and in most situations provides information even if it is not specifically requested. The leader and team make good use of available resources. The team is intense but only mildly flustered by most clinical situations.

Most distractions are avoided. The team performs well in deciding what information and activities are essential to the clinical event. Most nonessential information is discarded or ignored. Non-critical duties are prioritized and delayed until low workload periods or the event has terminated. Team members are aware of individual team member workloads during each phase of a clinical event. When an individual

team member appears to be overloaded, other team members may notice and take on part of the workload. Workload sometimes appears poorly distributed and may require the team leader delegate responsibilities. The team's replanning and reprioritization are adequate for the developing situation.

Team members often check each other's task performance for errors. An individual making an error is informed and makes the needed corrections. Only occasionally are persons in error annoyed at being checked and corrected.

Team members usually provide situation updates on patient and emergency department operational status. Obvious changes in team member welfare are noted and acknowledged without fear of sanctions.

Very Poor Rating (1)

The team becomes disorganized and flustered. The team's requests for information elicit inadequate responses. Team members may focus on the wrong issues, thus delaying correct response to the problem. The team focuses on only one solution to an event, does not consider other plausible alternatives, or chooses an inappropriate solution. Lack of coordinated actions adds to the confusion. The leader and team members make poor use of available resources to resolve the problem.

The team is easily distracted. The team is unable or unwilling to decide what is important and relevant to the immediate situation. There is little prioritizing of duties or actions. Time and energy may be wasted on low priority tasks. Risks to patient safety or welfare may occur as the team focuses on minor tasks while critical tasks requiring immediate attention go unattended. Neither the overloaded party nor other team members take voluntary actions to eliminate an overload condition. The team makes little or no effort to redistribute task responsibilities as situational changes occur and new tasks arise. Individual team members experience workload overloads. The team's planning horizon is "playing catchup."

Team members seldom, if ever, check each other's task execution. Team members are insulted if they are corrected by another team member.

Team members do not routinely provide updates on patient status or operational status of the emergency department. Generally, updates are provided only on request; they are not made voluntarily. Personal welfare problems such as fatigue or lack of attention are not mentioned.

Emergency Medical Team Dimension 5: Improve Team Skills

Overview

This rating concerns the ability of the team to monitor and review its general performance, evaluate the quality of its work, and improve its teamwork processes. Evaluate the team on spontaneous and planned discussions of its strengths and weaknesses with respect to technical skills and team coordination. Discussion themes include what was done wrong, what might be done better, how improvements can be made, and what was done well.

Rate the occurrence of situational teaching and learning that occurs as events unfold. One example is a physician discussing his clinical impressions with a nurse following his or her examination of a patient. Another is an EMT explaining to a physician the proper positioning of a patient for intubation.

Rate the frequency and adequacy of the team's process reviews. Process reviews provide a mechanism for process analysis and quality improvement and focus on methods for improving team effectiveness. Rate the team's use of the five team dimensions to systematically examine and benchmark its performance. This requires recurrent examination of both technical task and team coordination outcomes, and answers the questions, "What is the team doing?" and "How well is the team doing it?"

Reviews can be informal or formal. Informal reviews tend to occur close to the time of the event and are likely to be limited to those directly involved in the situation. An example is two team members discussing how to improve their coordination on a procedure they have just completed. Formal reviews can occur as retrospective audits or case conferences. They are usually scheduled in advance and provide an opportunity for more team participation. An example of formal reviews are educational forums typically taking place away from the immediate clinical area. They are usually scheduled to maximize team member attendance

Superior Rating (7)

This team demonstrates exceptional attention to critiquing and improving task and process skills. Instruction and case review occur whenever opportunities arise and circumstances allow. Reviews equally address task issues (i.e., quality of clinical interventions) and process issues (i.e., team effectiveness). The team dimensions are integrated into all critiques of team performance.

Expert coaching and teaching are provided by team members. Team members demonstrate an interest in learning and teaching, and actively seek opportunities for both.

Formal reviews are conducted at regularly scheduled intervals. The team reviews clinical outcomes to improve the quality of care delivery. Reviews are conducted in a professional manner with an emphasis on education and improvement of task performance. Superior teams balance clinical case review with team performance review. For example, a clinical case conference is held to discuss a particularly complex clinical case. In addition to reviewing the clinical course of events, the team also considers the effectiveness with which team processes such as decision making, communication, and workload distribution were managed during the case.

Members are comfortable giving and receiving critical feedback; they freely discuss how the team is functioning and make recommendations for improvement. All discussions focus on behavior and information and avoid accusatory tones. Innovation and creative problem solving are encouraged. Recommended improvements are implemented and outcomes reevaluated as part of a continuous process.

Acceptable Rating (4)

Situational teaching and learning occurs on occasion, usually in response to a direct inquiry from another team member. While there is some reluctance to reveal one's limitations, team members will approach certain individuals on the team for assistance with their learning needs. Formal reviews occur on an intermittent basis.

When members engage in performance review, attention is paid more to clinical issues than team process issues. Case reviews focus on obvious errors and identification of methods for avoiding these errors in the future. If one member of the team is technically weak, others can compensate and take advantage of the situation to teach a new skill or improve one that is weak.

Process review occurs most often following an event in which team performance was perceived to be problematic or contributed to a negative patient outcome. The team is less systematic about using the team dimensions as a reference for performance review. Interactions are positive and remain focused on behavior and decisions; there is no "finger pointing." Reviews are aimed at correcting the immediate problem rather than on improving general team performance.

Very Poor Rating (1)

Team effectiveness is rarely reviewed. There is no evidence of internalization of the team dimensions and no systematic approach to performance review. There is little effort to learn from previous actions. Virtually no teaching is observed even when clear opportunities to do so arise.

Obvious errors are corrected with little or no concern about improving future performance. There are times when basic procedures are ignored or violated. Opportunities for skill development are overlooked. Members are uncomfortable giving or receiving feedback. When case reviews occur (which is rare) they usually involve finger-pointing and blaming.